

# Product information

# Sportsmaster<sup>®</sup> CRF

**2-3**  
MONTHS

High N 26+05+11+2MgO

Itemcode: 4259




## PRODUCT DESCRIPTION

Sportsmaster CRF contains a combination of controlled release fertilizer technology with compound granular fertilizers. This controlled release technology leads to regular growth without growth peaks. The uncoated portion of this fertilizer allows an immediate response of the turf.

## PRODUCT ADVANTAGES

1. Ideal first controlled released fertilizer application of season.
2. Specially selected technology for quick reaction in cooler conditions.
3. Encourages healthy balanced growth at start of season.
4. High Magnesium content for enhanced colour



## TECHNOLOGY

MU	Fused K	Pro-Lite	T-Max	Poly-S	Resin	Organic

## USE

Green	Tee	Fairway	Sports field	Amenity
		✓✓	✓✓	✓✓

## RECOMMENDED PERIOD FOR USE

J	F	M	A	M	J	J	A	S	O	N	D


## PERFORMANCE\*

Granule dispersal: 10 days (visually dispersed from surface)

Turf response: 7 days

Longevity: 2-3 months

\* depending on environmental factors



Scotts International B.V.,  
Scotts Professional  
P.O. Box 40, 4190 CA Geldermalsen,  
The Netherlands  
Tel.: +31 (0)418 655 700  
Fax: +31 (0)418 655 795  
E-mail: info@scottspromotional.com  
Internet: www.scottspromotional.com



Growing success

## PRODUCT CHARACTERISTICS

Bag size:	25 kg
Application Rate:	20-30 g/m <sup>2</sup>
Bag coverage:	833-1250 g/m <sup>2</sup>
Particle size:	1.8-4.0 mm
Granule count:	53 granules/gram

## NUTRIENT LEVELS APPLIED (KG/HA)

20 g/m <sup>2</sup>			25 g/m <sup>2</sup>			30 g/m <sup>2</sup>		
N	P	K	N	P	K	N	P	K
52.0	10.0	22.0	65.0	12.5	27.5	78.0	15.0	33.0

## DIRECTIONS FOR USE

- Apply to dry foliage.
- Watering-in after application aids dispersion and gives a quicker initial effect.
- Avoid applications during frosty or drought conditions.
- Watering-in after application will minimise foot printing risk.
- If spilt on paving slabs, concrete, clothes etc. brush off immediately, as product may cause discolouration.
- Applications should be made after aeration programmes such as hollow tining, slitting and/or scarification to prevent granule damage.

## STORAGE

Keep away from heat and sources of ignition. Keep away from food, drink and animal feeding stuffs. For quality reasons: Keep out of reach of direct sunlight, store under dry conditions, partly used bags should be closed well. Keep at temperatures between 0°C and 40°C.

## SPREADER SETTINGS

Spreader type	Application method	Cone setting	Spreader width (m)	Application rate (g/m <sup>2</sup> )		
				20	25	30
<b>Rotary Spreader</b> SR-2000 or Accupro 2000	1x pass	3	5,0	Q	R <sup>1</sup> / <sub>2</sub>	Y <sup>1</sup> / <sub>2</sub>
	2x pass	3	5,0	M <sup>1</sup> / <sub>2</sub>	O	O <sup>1</sup> / <sub>2</sub>
<b>Drop Spreader</b> SS-2	1x pass	n/a	n/a	n/a	n/a	n/a
	2x pass	n/a	n/a	n/a	n/a	n/a

## THE COMPLETE SPORTSMASTER CRF RANGE

Product name	Analyses	Recommended period of use
<b>Hign N</b>	26+05+11+2MgO	J   F   M   A   M   J   J   A   S   O   N   D
<b>Balanced</b>	18+08+17+2MgO+FE	J   F   M   A   M   J   J   A   S   O   N   D
<b>Renovator</b>	23+23+05	J   F   M   A   M   J   J   A   S   O   N   D
<b>High K</b>	16+06+25	J   F   M   A   M   J   J   A   S   O   N   D

## HEALTH & SAFETY

A Material Safety Data Sheet is available on request.

## GUARANTEED ANALYSIS

<b>26.0% Nitrogen (N)</b>	1.0% nitrate nitrogen
	2.0% ammoniacal nitrogen
	23.0% urea nitrogen
<b>5.0% Phosphorus pentoxide(P<sub>2</sub>O<sub>5</sub>)</b>	4.5% water soluble
2.2%	Phosphorus (P), 2.0% water soluble
<b>11.0% Potassium Oxide (K<sub>2</sub>O)</b>	Water soluble
9.1%	Potassium (K), water soluble
2.0%	Magnesium oxide (MgO), 0.3% water soluble
1.2%	Magnesium (Mg), 0.2% water soluble
18.2%	Sulphur trioxide total (SO <sub>3</sub> )
7.3%	Sulphur total (S)
0.010%	Copper total (Cu), 0.002% water soluble
0.15%	Iron total (Fe), 0.11% water soluble
0.05%	Manganese total (Mn), 0.11% water soluble
0.015%	Zinc total (Zn), water soluble
30%	Coated N of total N
30%	Coated P <sub>2</sub> O <sub>5</sub> of total P <sub>2</sub> O <sub>5</sub>
30%	Coated K <sub>2</sub> O of total K <sub>2</sub> O



Growing success